

Table of Contents

SIZING & DETAILS

CASEMENT WINDOWS	01 - 10; 38 - 42
FRENCH CASEMENT WINDOW	11; 43
AWNING WINDOWS	12 - 16; 44 - 46
SINGLE & DOUBLE HUNG WINDOWS	17 - 20; 47 - 51
MONUMENT SINGLE & DOUBLE HUNG WINDOWS . . .	21 - 22; 52 - 53; 56 - 57
MONUMENT HORIZONTAL SLIDING WINDOWS	23; 54 - 55
SLIDING PATIO DOORS	24 - 25; 58 - 61
FRENCH SLIDING PATIO DOORS	26 - 27; 62 - 65
INSWING PATIO DOORS	28 - 32; 66 - 72
OUTSWING PATIO DOORS	33 - 35; 74 - 79
SPECIAL SHAPE WINDOWS	36 - 37

NOTES:

Other window and door combinations and sizing are available that are not shown in this book. Please contact your local Hurd distributor for additional information

The total mulled combination cannot exceed 144" x 106".

All elevations are viewed from the exterior of the unit.

ALUMINUM CLAD WOOD SPECIAL SHAPE WINDOWS



ALUMINUM CLAD WOOD WINDOWS
HALF ROUND WINDOWS

CASEMENT & AWNING HALF ROUND WINDOWS

CALLOUT	ROUGH OPENING		BASIC UNIT SIZE
	STANDARD	METRIC	
HR C19-1 -1W	2'1" x 1'0 3/8"	(635 x 321)	2'0 3/8" x 1'0 3/8"
HR C23-1 -1W	2'5" x 1'2 5/8"	(737 x 371)	2'4 3/8" x 1'2 5/8"
HR C27-1 -1W	2'9" x 1'4 3/8"	(838 x 422)	2'8 3/8" x 1'4 3/8"
HR C31-1 -1W	3'1" x 1'6 3/8"	(940 x 473)	3'0 3/8" x 1'6 3/8"
HR C15-2 -1W	3'5 3/8" x 1'8 1/8"	(1046 x 525)	3'4 3/8" x 1'8 3/8"
HR C19-2 -1W	4'1 3/8" x 2'0 1/8"	(1249 x 627)	4'0 3/8" x 2'0 3/8"
HR C23-2 -1W	4'9 3/8" x 2'4 1/8"	(1453 x 729)	4'8 3/8" x 2'4 3/8"
HR C27-2 -1W	5'5 3/8" x 2'8 1/8"	(1656 x 830)	5'4 3/8" x 2'8 3/8"
HR C31-2 -1W	6'1 3/8" x 3'0 1/8"	(1859 x 932)	6'0 3/8" x 3'0 3/8"
HR C15-3 -1W	5'1 3/8" x 2'6 1/8"	(1559 x 783)	5'0 3/8" x 2'6 3/8"
HR C19-3 -1W	6'1 3/8" x 3'0 1/8"	(1864 x 935)	6'0 3/8" x 3'0 3/8"
HR C23-3 -1W	7'1 3/8" x 3'6 1/8"	(2169 x 1087)	7'0 3/8" x 3'6 3/8"
HR C27-3 -1W	8'1 3/8" x 4'0 1/8"	(2473 x 1240)	8'0 3/8" x 4'0 3/8"

DOUBLE HUNG HALF ROUND WINDOWS

CALLOUT	ROUGH OPENING		BASIC UNIT SIZE
	STANDARD	METRIC	
HR DH20-1 -1W	2'2" x 1'1 1/4"	(660 x 337)	2'1 1/2" x 1'0 3/4"
HR DH24-1 -1W	2'6" x 1'3 1/4"	(762 x 387)	2'5 1/2" x 1'2 3/4"
HR DH28-1 -1W	2'10" x 1'5 1/4"	(864 x 438)	2'9 1/2" x 1'4 3/4"
HR DH32-1 -1W	3'2" x 1'7 1/4"	(965 x 489)	3'1 1/2" x 1'6 3/4"
HR DH36-1 -1W	3'6" x 1'9 1/4"	(1067 x 540)	3'5 1/2" x 1'8 3/4"
HR DH40-1 -1W	3'10" x 1'11 1/4"	(1168 x 591)	3'9 1/2" x 1'10 3/4"
HR DH20-2 -1W	4'3 1/2" x 2'2"	(1308 x 660)	4'2 1/8" x 2'1 1/2"
HR DH24-2 -1W	4'11 1/2" x 2'6"	(1511 x 762)	4'10 1/8" x 2'5 1/2"
HR DH28-2 -1W	5'7 1/2" x 2'10"	(1715 x 864)	5'6 1/8" x 2'9 1/2"
HR DH32-2 -1W	6'3 1/2" x 3'2"	(1918 x 965)	6'2 1/8" x 3'1 1/2"
HR DH36-2 -1W	6'11 1/2" x 3'6"	(2121 x 1067)	6'10 1/8" x 3'5 1/2"

SLIDING PATIO DOOR HALF ROUND WINDOWS

CALLOUT	ROUGH OPENING		BASIC UNIT SIZE
	STANDARD	METRIC	
HR SLD 5-0 -1W	4'11 1/8" x 2'5 13/16"	(1500 x 757)	4'10 9/16" x 2'5 3/8"
HR SLD 6-0 -1W	5'11 1/8" x 2'11 1/8"	(1805 x 910)	5'10 3/8" x 2'11 3/8"
HR SLD 8-0 -1W	7'11 1/8" x 3'11 13/16"	(2415 x 1214)	7'10 9/8" x 3'11 9/32"

INSWING PATIO DOOR HALF ROUND WINDOWS

CALLOUT	ROUGH OPENING		BASIC UNIT SIZE
	STANDARD	METRIC	
HR ISD 5-0 -1W	4'11 3/8" x 2'5 15/16"	(1508 x 760)	4'10 7/8" x 2'5 7/16"
HR ISD 5-4 -1W	5'3 3/8" x 2'7 15/16"	(1610 x 811)	5'2 7/8" x 2'7 7/16"
HR ISD 6-0 -1W	5'11 3/8" x 2'11 15/16"	(1813 x 913)	5'10 7/8" x 2'11 7/16"
HR ISD 6-4 -1W	6'3 3/8" x 3'1 15/16"	(1921 x 964)	6'2 7/8" x 3'1 7/16"
HR ISD 8-0 -1W	7'10 1/2" x 3'11 1/2"	(2401 x 1218)	7'10 1/2" x 3'11 1/4"

OUTSWING PATIO DOOR HALF ROUND WINDOWS

CALLOUT	ROUGH OPENING		BASIC UNIT SIZE
	STANDARD	METRIC	
HR OSD 5-0 -1W	5'0 1/4" x 2'6 1/4"	(1530 x 768)	4'11 1/2" x 2'5 3/4"
HR OSD 5-4 -1W	5'4 1/4" x 2'8 1/4"	(1632 x 819)	5'3 1/2" x 2'7 3/4"
HR OSD 6-0 -1W	6'0 1/4" x 3'0 1/4"	(1835 x 921)	5'11 1/2" x 2'11 3/4"
HR OSD 6-4 -1W	7'0" x 3'2 1/4"	(2045 x 972)	6'3 1/2" x 3'1 3/4"

NOTE: Other shapes and sizes available. Contact Hurd for details.

Direct Mulling above Dual Swinging Patio Doors not recommended.

All shapes are direct set profile and are available only as stationary units.



ALUMINUM CLAD WOOD WINDOWS
QUARTER ROUND WINDOWS,
QUARTER ROUND 1 WIDE LEFT
QUARTER ROUND 1 WIDE RIGHT

CASEMENT & AWNING QUARTER ROUND WINDOWS

CALLOUT	ROUGH OPENING		BASIC UNIT SIZE
	STANDARD	METRIC	
QR C15-1 -1W	1'8 1/16" x 1'8 1/16"	(525 x 525)	1'8 3/16" x 1'8 3/16"
QR C19-1 -1W	2'0 1/16" x 2'0 1/16"	(627 x 627)	2'0 3/16" x 2'0 3/16"
QR C23-1 -1W	2'4 1/16" x 2'4 1/16"	(729 x 729)	2'4 3/16" x 2'4 3/16"
QR C27-1 -1W	2'8 1/16" x 2'8 1/16"	(830 x 830)	2'8 3/16" x 2'8 3/16"
QR C31-1 -1W	3'0 1/16" x 3'0 1/16"	(932 x 932)	3'0 3/16" x 3'0 3/16"

DOUBLE HUNG QUARTER ROUND WINDOWS

CALLOUT	ROUGH OPENING		BASIC UNIT SIZE
	STANDARD	METRIC	
QR DH20-1 -1W	2'2" x 2'2"	(660 x 660)	2'1 1/32" x 2'1 1/32"
QR DH24-1 -1W	2'6" x 2'6"	(762 x 762)	2'5 1/32" x 2'5 1/32"
QR DH28-1 -1W	2'10" x 2'10"	(864 x 864)	2'9 1/32" x 2'9 1/32"
QR DH32-1 -1W	3'2" x 3'2"	(965 x 965)	3'1 1/32" x 3'1 1/32"

INSWING PATIO DOOR QUARTER ROUND WINDOWS)

CALLOUT	ROUGH OPENING		BASIC UNIT SIZE
	STANDARD	METRIC	
QR ISD2-6 -1W	2'6 1/4" x 2'6 1/4"	(768 x 768)	2'5 3/4" x 2'5 3/4"
QR ISD2-8 -1W	2'8 1/4" x 2'8 1/4"	(819 x 819)	2'7 3/4" x 2'7 3/4"
QR ISD3-0 -1W	3'0 1/4" x 3'0 1/4"	(921 x 921)	2'11 3/4" x 2'11 3/4"
QR ISD3-2 -1W	3'2 1/4" x 3'2 1/4"	(972 x 972)	3'1 3/4" x 3'1 3/4"

OUTSWING PATIO DOOR QUARTER ROUND WINDOWS

CALLOUT	ROUGH OPENING		BASIC UNIT SIZE
	STANDARD	METRIC	
QR OSD 2-6 -1W	2'6 1/16" x 2'6 1/16"	(786 x 786)	2'6 7/16" x 2'6 7/16"
QR OSD 2-8 -1W	2'8 1/16" x 2'8 1/16"	(837 x 837)	2'8 3/16" x 2'8 3/16"
QR OSD 3-0 -1W	3'0 1/16" x 3'0 1/16"	(938 x 938)	3'0 7/16" x 3'0 7/16"
QR OSD 3-2 -1W	3'2 1/16" x 3'2 1/16"	(989 x 989)	3'2 3/16" x 3'2 3/16"



ALUMINUM CLAD WOOD WINDOWS
CIRCLE WINDOW

CALLOUT	ROUGH OPENING		BASIC UNIT SIZE
	STANDARD	METRIC	
FC 2-0 -1W	2'1" x 2'1"	(635 x 635)	2'0 3/16" x 2'0 3/16"
FC 2-6 -1W	2'6" x 2'6"	(762 x 762)	2'5 1/2" x 2'5 1/2"
FC 3-0 -1W	3'2" x 3'2"	(965 x 965)	3'1 1/2" x 3'1 1/2"
FC 3-6 -1W	3'6" x 3'6"	(1067 x 1067)	3'5 1/2" x 3'5 1/2"
FC 4-0 -1W	4'1" x 4'1"	(1245 x 1245)	4'0 3/8" x 4'0 3/8"



ALUMINUM CLAD WOOD WINDOWS
OVAL WINDOW

CALLOUT	ROUGH OPENING		BASIC UNIT SIZE
	STANDARD	METRIC	
OVAL 3-0 x 2-0 -1W	3'0 1/2" x 2'0 1/2"	(927 x 622)	3'0" x 2'0"
OVAL 3-6 x 2-6 -1W	3'6 1/2" x 2'6 1/2"	(1080 x 775)	3'6" x 2'6"
OVAL 4-0 x 3-0 -1W	4'0 1/2" x 3'0 1/2"	(1232 x 927)	4'0" x 3'0"

NOTE: All oval sizes can be reversed. Example 3-0 x 2-0 can be ordered as 2-0 x 3-0.

Rough Opening Width = Basic Unit Width + 1/2"

Rough Opening Height = Basic Unit Height + 1/2"

See Page 37 for Section Details.

ALUMINUM CLAD WOOD SPECIAL SHAPE WINDOWS



ALUMINUM CLAD WOOD WINDOWS
OCTAGON WINDOW, (T251W)

CALLOUT	ROUGH OPENING		BASIC UNIT SIZE
	STANDARD	METRIC	
OCT 2-0	2'0 3/4" x 2'0 3/4"	(629 x 629)	2'0" x 2'0"
OCT 2-6	2'6 3/4" x 2'6 3/4"	(781 x 781)	2'6" x 2'6"
OCT 3-0	3'0 3/4" x 3'0 3/4"	(933 x 933)	3'0" x 3'0"
OCT 3-6	3'6 3/4" x 3'6 3/4"	(1086 x 1086)	3'6" x 3'6"
OCT 4-0	4'0 3/4" x 4'0 3/4"	(1238 x 1238)	4'0" x 4'0"

Octagon shapes are direct set profile and are available only as stationary units.

Rough Opening Width = Basic Unit Width + 3/4"


Rough Opening Height = Basic Unit Height + 1/2"

CIRCLE TOP SHAPE WINDOW DETAILS

HEAD, SILL, JAMB

Scale: 3" = 1'0"

DIRECT SET CIRCLE TOP, HEAD



RECTANGLE & RECTANGLE SHAPE WINDOW DETAILS

HEAD, SILL, JAMB

Scale: 3" = 1'0"

DIRECT SET RECTANGLE & RECTANGLE SHAPED, HEAD

